# NZChO September exam 2021

1. The oxidation state of the iodine atom, I, in each of the following molecules is

$H\underline{I}O_2$, $\underline{I}Cl$, $K\underline{I}O_3$

A +3

8. 0.1 mol $L^{-1}$ aqueous solutions of these organic compounds were prepared. When these solutions are arranged in order of increasing pH (lowest pH first) what is the correct order?

I. $CH_3CH_2CH_2OH$

II. $CH_3CH_2CH_2NH_2$

III. $CH_3CH_2COOH$

A. I < II < III

B. I < III < II

C. III < II < I

D. II < III < I

E. III < I < II

9. Which aqueous solution contains the most $H_3O^+$ ions?

20 mL of 2 mol $L^{-1}$ sulfuric acid

40 mL of 0.5 mol $L^{-1}$ sulfuric acid

10 mL of 4 mol $L^{-1}$ nitric acid

80 mL of 0.5 mol $L^{-1}$ hydrochloric acid

20 mL of 2 mol $L^{-1}$ ethanoic acid, $CH_3COOH$

10. Equal volumes of 0.200 mol $L^{-1}$ HCl and 0.400 mol $L^{-1}$ KOH are mixed. The resulting concentrations are:

A. $[K^+$

12. Monocalcium phosphate ($CaHPO_4$) is used as an acid in baking powders. Solutions of $CaHPO_4$ in water may contain a variety of species. Which of the following is the conjugate base of the $HPO_4^{2-}$ ion?

A. $Ca^{2+}$ B. $OH^-$ C. $H_2O$ D. $H_2PO_4^-$ E. $PO_4^{3-}$

**Stoichiometry, Qualitative and Quantitative Analysis**

13. Silver oxide ($Ag_2O$) decomposes to silver and oxygen upon heating. What amount of oxygen gas is produced when 4.64 g of silver oxide decomposes? $M(Ag_2O) = 232\ g\ mol^{-1}$

A. 0.005 mol B. 0.01 mol C. 0.02 mol D. 0.04 mol E. 0.08 mol

14. Five beakers (labelled 1 to 5) each contain 0.5 moles of silver nitrate, dissolved in water. Into each of these beakers is added a certain amount of a metal chloride, also dissolved in water, as shown in the table below. Silver chloride precipitates from solution in all five beakers.

| 1 | 2 | 3 | 4 | 5 |
|---|---|---|---|---|
| 0.15 mol $CaCl_2$ | 0.20 mol $AlCl_3$ | 0.25 mol $CaCl_2$ | 0.30 mol NaCl | 0.40 mol NaCl |

Which two beakers contain the maximum mass of silver chloride precipitated?

A. 1 and 4 B. 2 and 3 C. 2 and 4 D. 3 and 5 E. 4 and 5

15. Plaster of Paris is used for setting broken limbs. Its formula is $CaSO_4 \cdot 0.5H_2O$ ($M$ = 145.1 g $mol^{-1}$). When water is added it sets to give gypsum, $CaSO_4 \cdot 2H_2O$ ($M$ = 172.2 g $mol^{-1}$). What is the minimum mass of water needed to set 0.500 kg of plaster of Paris?

A. 62.0 g B. 93.1 g C. 0.124 kg D. 2.90 kg E. 3.45 kg

16.

17. A student had a bottle that contained either silver, magnesium, calcium, zinc or aluminium nitrate solution. A series of tests were carried out to determine what the cation is. The tests and observations are summarised below.

| Test | Observation |
| --- | --- |

21. $2SO_2(g) + O_2(g) \rightarrow 2SO_3(g)$ $\Delta H =$

28. The expression for the equilibrium constant for a reaction is

---

At a certain temperature the values of [A], [B] and [C] are all 0.2 mol $L^{-1}$. What happens to the value of $K_c$ when all three values are doubled to 0.4 mol $L^{-1}$?

A. It decreases by a factor of four

B. It is halved.

C. It does not change.

D. It doubles.

E. It increases by a factor of four

29. Which haloalkane below undergoes an elimination reaction to form the largest number of isomeric (structural and geometric) alkenes?



30. What is/are the product(s) of the reaction between ethene and hydrogen bromide?

A. $CH_3CH_2Br$

B. $CH_3CH_2Br$ and $H_2$

C. $CH_2BrCH_2Br$

D. $CH_2BrCH_2Br$ and $H_2$

E. $CH_3CHBr_2$

31. How many different structural isomers have the formula $C_4H_9Cl$?

A. 2